

Product Technical Sheet

T90SR DuElec™ (White)

Pumped Electric Shower

Product Codes

| | | | |
|----------------------|-----|-------|----------|
| T90SR DuElec™ Pumped | 9kW | White | XE90DU91 |
|----------------------|-----|-------|----------|

Installation

- Left-hand side water and cable entry points

Commissioning

- Inlet connection: 15mm compression
- Outlet connection: 1/2" BSP male thread

End User

- So quiet that when the water is running you won't hear the pump
- Ideal solution for stud walls which are more susceptible to vibration & noise transmission
- Choice of showering experience - Divert water between a 5 spray pattern shower head and luxurious fixed rainfall shower head, or even use both together
- Integrated pump boosts the water pressure of low - pressure gravity fed supplies
- Easy prime pump allows water flow without the need to operate the pump
- 2 year parts and labour guarantee
- Efficient A energy rating



Product Technical Sheet

T90SR DuElec™ (White)

Pumped Electric Shower

Shower

| | |
|--------------------------|--|
| Temperature Control | Pumped electric stabilised |
| Power Ratings | 9kW (230v) |
| Inlet Connection | 15mm compression |
| Water Entry Points | Top, bottom, back (left hand side of unit) |
| Cable Entry Points | Top, bottom, back (left hand side of unit) |
| Outlet Connection | 1/2" BSP |
| Plumbing System | Gravity Fed Cold Water Supply |
| Minimum Head Pressure | 80mm |
| Maximum Head Pressure | 10m |
| Surface Mounted Only | |
| Approvals, Complies with | BEAB, CE, BSI Kitemark, IP25, Quiet Mark |
| Guarantee | 2 years |


Riser Rail Kit


| | |
|----------|---|
| Length | 1007mm |
| Diameter | 20.5mm |
| Material | Double Interlocked Stainless Steel |
| Finish | Chrome |
| Hose | 1.5m Anti-twist Chrome (main hose) 1m (connector hose) |

IMPORTANT MAINTENANCE NOTICE

Replacing with specified Triton accessories will aid optimum performance and keep the unit within the allocated guarantee period

Diagram Key:

 Water Entry Points



 Cable Entry Points

Dimensions:

H: 266mm

W: 322mm

D: 95mm



DuElec Kit
Chrome
XADUKIT2